

*

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.09.2024

Version number 9 (replaces version 8)

Revision: 16.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: AUTOPLAST Polymer

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Self-curing denture base material
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: CANDULOR AG Boulevard Lilienthal 8 8152 Glattpark (Opfikon) SWITZERLAND

Tel. +41 (0) 44 805 9000 *Fax* +41 (0) 44 805 9090

 Further information obtainable from: Regulatory Affairs info@candulor.ch
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, 9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.*

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:
- dibenzoyl peroxide
- · Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P262 Do not get in eyes, on skin, or on clothing.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards Dust generation Particular danger of slipping on leaked/spilled product.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

GR

Printing date 16.09.2024

Version number 9 (replaces version 8)

Revision: 16.09.2024

Trade name: AUTOPLAST Polymer

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** > 95% polymethylmethacrylate

· Dangerous components:

 CAS: 94-36-0
 dibenzoyl peroxide
 1-<2.5%</td>

 EINECS: 202-327-6
 Org. Perox. B, H241; Eye Irrit. 2, H319; Skin Sens. 1, H317
 1-<2.5%</td>

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Only adequately trained personnel should handle this product. For use in dentistry only.
- Information about fire and explosion protection: No special measures required.

(Contd. on page 3)

⁻ GB

Printing date 16.09.2024

Version number 9 (replaces version 8)

Revision: 16.09.2024

Trade name: AUTOPLAST Polymer

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 94-36-0 dibenzoyl peroxide

WEL Long-term value: 5 mg/m³

- · Regulatory information WEL: EH40/2020
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the skin.
- **Respiratory protection:** Use respiratory protective device against the effects of dust.
- · Hand protection



Protective gloves (EN 374)

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Butyl rubber, BR Chloroprene rubber, CR

Natural rubber, NR

Nitrile rubber, NBR

- Fluorocarbon rubber (Viton)
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eve/face protection Safety glasses

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties · General Information · Colour: · Odour: *Characteristic*
- · Odour threshold:

According to product specification Not determined.

(Contd. on page 4)

GB

Printing date 16.09.2024

Version number 9 (replaces version 8)

Revision: 16.09.2024

Trade name: AUTOPLAST Polymer

	(Contd. of page
Melting point/freezing point:	150 °C
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	250 °C
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	Not applicable.
water:	Nearly insoluble
	Nearly insoluble. Not determined.
Partition coefficient n-octanol/water (log value)	
Vapour pressure:	Not applicable.
Density and/or relative density	1.2 a/am3
Density at 20 °C:	$1.2 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not applicable.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of health and	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	x x
Evaporation rate	Not applicable.
Information with regard to physical hazard classe	8
Explosives	Void
Explosives Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
	Void
Gases under pressure Elammable liquids	Void
Flammable liquids	
Flammable solids	Void Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Organic peroxides	
Corrosive to metals	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability Stable under normal handling and storage conditions.

(Contd. on page 5)

GB

Printing date 16.09.2024

Version number 9 (replaces version 8)

Revision: 16.09.2024

(Contd. of page 4)

Trade name: AUTOPLAST Polymer

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information: No further relevant information available.
- \cdot 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority. (Contd. on page 6)

Printing date 16.09.2024

Version number 9 (replaces version 8)

Revision: 16.09.2024

(Contd. of page 5)

Trade name: AUTOPLAST Polymer

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on
· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
• Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

• *Reportable explosives precursors None of the ingredients is listed.*

· Reportable poisons

None of the ingredients is listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB

Printing date 16.09.2024

Version number 9 (replaces version 8)

Revision: 16.09.2024

Trade name: AUTOPLAST Polymer

	(Contd. of page 6)
· F	Relevant phrases
	1241 Heating may cause a fire or explosion.
ŀ	1317 May cause an allergic skin reaction.
	1319 Causes serious eye irritation.
	bbreviations and acronyms:
	MO: International Maritime Organization
	DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
Ii	nternational Carriage of Dangerous Goods by Road)
	ID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
	nternational Transport of Dangerous Goods by Rail)
Ŀ	MDG: International Maritime Code for Dangerous Goods
L	ATA: International Air Transport Association
C	HS: Globally Harmonised System of Classification and Labelling of Chemicals
E	INECS: European Inventory of Existing Commercial Chemical Substances
E	LINCS: European List of Notified Chemical Substances
C	AS: Chemical Abstracts Service (division of the American Chemical Society)
P	BT: Persistent, Bioaccumulative and Toxic
v	PvB: very Persistent and very Bioaccumulative
C	Drg. Perox. B: Organic peroxides – Type B
E	ye Irrit. 2: Serious eye damage/eye irritation – Category 2
S	kin Sens. 1: Skin sensitisation – Category 1
*	Data compared to the previous version altered.