

*

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 16.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KMG Paste

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Polishing agent/ Burnishing compound
- \cdot 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: CANDULOR AG Boulevard Lilienthal 8 8152 Glattpark (Opfikon) SWITZERLAND

Tel. +41 (0) 44 805 9000 *Fax* +41 (0) 44 805 9090

 Further information obtainable from: Regulatory Affairs info@candulor.ch
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, 9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.*

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

- · Precautionary statements
- *P280 Wear eye protection / face protection.*
- P337+P313 If eye irritation persists: Get medical advice/attention.
- Additional information:
- EUH066 Repeated exposure may cause skin dryness or cracking.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Printing date 16.05.2024

Version number 2 (replaces version 1)

Revision: 16.05.2024

Trade name: KMG Paste

	(C	ontd. of page 1
· Dangerous components:		
CAS: 64742-48-9 EINECS: 265-150-3	Naphtha (petroleum), hydrotreated heavy Asp. Tox. 1, H304	25-50%
CAS: 544-60-5 EINECS: 208-873-1 Reg.nr.: 01-2120057728-45-xxxx	Ammoniumoleat Eye Irrit. 2, H319	≤10%
CAS: 1336-21-6 EINECS: 215-647-6 Reg.nr.: 01-2119982985-14-xxxx	ammonia Skin Corr. 1B, H314; Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3; H335: C≥5 %	0.1-<1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

⁻ GF

Printing date 16.05.2024

Version number 2 (replaces version 1)

Revision: 16.05.2024

(Contd. of page 2)

Trade name: KMG Paste

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Only adequately trained personnel should handle this product. For use in dentistry only.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

*

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in dry conditions. Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- *Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Hand protection



Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

⁻ GB

Printing date 16.05.2024

Version number 2 (replaces version 1)

Revision: 16.05.2024

(Contd. of page 3)

Trade name: KMG Paste

 \cdot Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



*

Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	properties	
• General Information		
· Colour:	Pink	
· Odour:	Like ammoniac	
· Odour threshold:	Not determined.	
· Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and boiling	o huele huilea.	
range	> 100 °C	
· Flammability	Not applicable.	
· Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable.	
• Decomposition temperature:	Not dependable. Not determined.	
\cdot pH at 20 °C	9.5 - 11.4	
· Viscosity:	9.5 - 11.4	
•	Not applicable	
Kinematic viscosity	Not applicable.	
· Dynamic:	Not applicable.	
Solubility		
water:	Dispersible.	
• Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not applicable.	
· Density and/or relative density		
· Density at 20 °C:	1.13 - 1.17 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· 9.2 Other information		
· Appearance:		
· Form:	Pasty	
· Important information on protection of health an	nd .	
environment, and on safety.		
· Ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Change in condition		
· Evaporation rate	Not applicable.	
Information with regard to physical hazard classe	25	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Guses under pressure		
	(Contd. on page 5)	
	(

Printing date 16.05.2024

Version number 2 (replaces version 1)

Revision: 16.05.2024

Trade name: KMG Paste

		(Contd. of page 4)
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
• Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy (Nota P, <0.1% benzene)

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >3000 mg/kg (rab)

• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation

Causes serious eye irritation.

*

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information: No further relevant information available.

 \cdot 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 6)

Printing date 16.05.2024

Trade name: KMG Paste

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
• Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
	(Contd. on page 7

Printing date 16.05.2024

Version number 2 (replaces version 1)

Void

Revision: 16.05.2024

(Contd. of page 6)

Trade name: KMG Paste

· UN "Model Regulation":

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Abbreviations and acronyms: IMO: International Maritime Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 \cdot * Data compared to the previous version altered.